



Contribution ID: 972

Type: Oral 20 Minutes

Molecular Simulation of Competitive Adsorption behaviors of CO₂/CH₄ Mixtures on Shale Clay Minerals

Monday, 14 May 2018 14:43 (15 minutes)

Objectives:

CO₂ injection, as one of the effective techniques for enhancing recovery of shale gas, has been widely used and proved economically available. In shale, clay minerals play an important role on methane adsorption due to its large volume of micropores. So far, however, a few attentions have been paid on competitive adsorption of CO₂/CH₄ Mixtures on clay minerals. In this study, we conduct molecular simulations of CO₂/CH₄ mixtures to provide a better understanding of competitive adsorption behaviors on clay minerals with the grand canonical Monte Carlo (GCMC) simulation.

Methods Procedures/Process:

We conduct GCMC simulations of CO₂/CH₄ mixtures adsorption in various clay minerals. Based on the actual conditions of shale gas reservoir, the competitive adsorptions of CO₂/CH₄ mixtures are investigated at various temperatures of 303.15K, 333.15K, and 363.15K with the pressure range of 0-35Mpa. For comprehensive comparison, the effects caused by pore size, mole fraction of CO₂/CH₄, and different clay minerals on competitive adsorption are processed. The competitive adsorption behaviors are characterized by selectivity and such key parameter are employed to evaluate the density profiles of CO₂ and CH₄, the characteristics of CO₂ adsorption over CH₄, and the timing of CO₂ Injection.

Results/Observes/Conclusions:

Due to strong quadrupole moment and higher van der Waals interactions, CO₂ possess a stronger affinity for clay minerals than that of methane, which is nonpolar. CH₄ has the characteristic of single-layered adsorption, while the CO₂ is able to form multi-layers adsorption with higher adsorption amount. Molecular simulations results show that the selectivity of CO₂ in competitive adsorption decrease with decreasing of pressure. In addition, the selectivity of CO₂ is independent on temperature. Because of negatively charged silicate layers, CO₂ adsorption in nanopores of illite and montmorillonite are stronger than that of in kaolinite. As a result, the selectivity of CO₂ in kaolinite models is less than that of in illite and montmorillonite models. When pressure is higher than 10Mpa, however, the selectivity of CO₂ in three different clay minerals are similar. Due to the more adsorption sites occupied by CO₂, the selectivity increases with mole fraction of CO₂. By comparison with different pore size adsorption, the selectivity is insensitive to the mole fraction in micropores, while it increases with the increasing of mole fraction of CO₂ in mesopores.

Novelty:

This work is a study on CO₂/CH₄ Mixtures adsorption behaviors on shale clay minerals. The molecular simulations with GCMC are proposed to give an insight in competitive adsorption mechanism, which is expected to provide a more accurate understanding of CO₂ injection for enhancing recovery of shale gas.

References

Acceptance of Terms and Conditions

[Click here to agree](#)

Primary authors: Mr HU, Xiaofei (1. College of Energy, Chengdu University of Technology, Chengdu, PR China. 2. School of Mining and Petroleum Engineering, Faculty of Engineering, University of Alberta, Edmonton, Canada.); Ms TIAN, Yuanyuan (1. College of Energy, Chengdu University of Technology, Chengdu, PR China. 2. School of Mining and Petroleum Engineering, Faculty of Engineering, University of Alberta, Edmonton, Canada.); Prof. JIN, Zhehui (School of Mining and Petroleum Engineering, Faculty of Engineering, University of Alberta, Edmonton, Canada)

Co-authors: Dr DENG, Hucheng (1. College of Energy, Chengdu University of Technology, Chengdu, PR China. 2. School of Mining and Petroleum Engineering, Faculty of Engineering, University of Alberta, Edmonton, Canada.); Prof. YAN, Changhui (College of Energy, Chengdu University of Technology, Chengdu, PR China)

Presenters: Mr HU, Xiaofei (1. College of Energy, Chengdu University of Technology, Chengdu, PR China. 2. School of Mining and Petroleum Engineering, Faculty of Engineering, University of Alberta, Edmonton, Canada.); Ms TIAN, Yuanyuan (1. College of Energy, Chengdu University of Technology, Chengdu, PR China. 2. School of Mining and Petroleum Engineering, Faculty of Engineering, University of Alberta, Edmonton, Canada.)

Session Classification: Parallel 2-E

Track Classification: MS 1.32: Sorption, Phase Behavior, and Fluid Transport in Fractured Black Shales