Contribution ID: **659** Type: **Poster (+) Presentation**

Self-sealing in wellbore cement under CGUS conditions by micro-CT, SEM, DM, and Raman

Wednesday, 2 June 2021 09:00 (1 hour)

In this study, reaction experiments between CO2-saturated brine and wellbore cement samples cured under different pressures were conducted to study microstructural and mineral composition changes using micro-computed tomography (micro-CT), scanning electron microscopy (SEM), digital microscope (DM) and Raman spectroscopy. The CT images of post-CO2 exposure cement samples showed a dissolution-precipitation-dissolution pattern at the exterior of the samples. The dissolution in the inner borehole of the samples, however, was not significant. Instead, only CaCO3 precipitation was observed in the inner borehole. CaCO3 precipitation in the inner borehole contributes to self-sealing of the cement, which reduces the risk of CO2 leakage through wellbore cement. According to CT and SEM observations, a higher curing pressure caused more precipitation of CaCO3, which favored cement self-sealing when exposed to CO2. The appearance of C=O a peak and the disappearance of -OH peak after reaction with CO2 were observed by Raman spectroscopy, which was attributed to cement carbonation that converted Ca(OH)2 into CaCO3. This study provides solid evidence of cement self-sealing due to cement carbonation under geologic CO2 storage circumstances.
Keywords
Wellbore cement; self-sealing; CO2 storage; CT scanning; carbonation

Time Block Preference

Time Block A (09:00-12:00 CET)

References

Acceptance of Terms and Conditions

Click here to agree

Newsletter

Student Poster Award

Primary authors: WANG, Yan; ZHANG, Liwei (Institute of Rock and Soil Mechanics, Chinese Academy of Sciences); GAN, Manguang

Presenter: WANG, Yan

Session Classification: Poster +

Track Classification: (MS10) Advances in imaging porous media: techniques, software and case studies