InterPore2022



Contribution ID: 244

Type: Poster Presentation

The influence of Wettability and flow rates on two-phase fluid displacement in porous media: Pore scale experimental visualization and numerical simulations

Wednesday, 1 June 2022 09:20 (1h 10m)

Multiphase flow in porous media widely exists in many natural and industrial processes, such as enhanced oil/gas recovery, geological CO2 sequestration,. Wettability is one of the key factors that affects multiphase flow in porous media. In this study, by means of high-resolution imaging in microfluidic flow cells patterned with random pore network, we performed displacement processes that occur during water flooding by using a microfluidic approach under controlled wettability conditions and recorded how wettability and flow rates influences the resulting displacement patterns. We further use the LBM method to numerically investigate the influence of wettability and flow rates on two-phase flow under various ranges of flowrates and wettability conditions. By using LBM simulation, the speed model adopts the D2Q9 model, and the collision item adopts the LBGK model. The pseudopotential model (Shan-Chen model) is used to describe the interaction force between particles. The boundary conditions are as consistent as possible with the experimental conditions. The entrance and exit adopt the Zou-He boundary, and the pore-solid interface adopts a half-step rebound impermeable boundary. Then numerical simulations by using Lattice Boltzmann Method (LBM) are firstly verified based on same experimental conditions and then extend to a wide range of flow rates and wettability conditions. Simulated results show LBM simulations are in good agreement with the experimental results. With the invading fluid being more wetting to the medium, fluid interface area is increased with slow displacement front velocity. Thus, the trapping of non-wetting and the breakthrough time of invading fluid are suppressed, resulting higher displacement efficiency. In addition, increased flow rate makes fluid invasion stable for all contact angles, indicating that the impact of wettability on the fluid invasion processes becomes negligible. Our work extends the classic phase diagram, explores the controls of wettability and flow rate on the displacement pattern at pore scale and provide a fundamental understanding on macroscopic multiphase flow behaviors.

Acceptance of the Terms & Conditions

Click here to agree

MDPI Energies Student Poster Award

Yes, I would like to submit this presentation into the student poster award.

Country

China

References

[1] Yan G, Li Z, Bore T, et al. Discovery of Dynamic Two-Phase Flow in Porous Media Using Two-Dimensional Multiphase Lattice Boltzmann Simulation[J]. Energies, 2021, 14(13): 4044.

[2] Wang W, Wang H, Su Y, et al. Simulation of liquid flow transport in nanoscale porous media using lattice Boltzmann method[J]. Journal of the Taiwan Institute of Chemical Engineers, 2021, 121(4).

[3] Nemer M N, Rao P R, Schaefer L. Wettability alteration implications on pore-scale multiphase flow in porous media using the lattice Boltzmann method[J]. Advances in Water Resources, 2020, 146: 103790.

[4] Shiri, Y., Hassani, et al. Water Flooding and Viscous Fingering in Fracture and Porous Media by Lattice Boltzmann Method[J]. Chemical and biochemical engineering quarterly, 2018, 32(1): 103-115.

[5] Zhao J, Kang Q, Yao J, et al. The Effect of Wettability Heterogeneity on Relative Permeability of Two-Phase Flow in Porous Media: A Lattice Boltzmann Study[J]. Water Resources Research, 2018.

[6] He D, Jin Y, Xue Q, et al. Effect of the Wettability on Two-Phase Flow Inside Porous Medium at Nanoscale: Lattice Boltzmann Simulations[J]. Journal of Nanoscience & Nanotechnology, 2017, 17(9): 6620-6625. [7] 李阳. 孔隙尺度下水驱油强化采收率研究 [D]. 天津商业大学, 2020.

[8] Zhao B, Macminn C W, Primkulov B K, et al. Comprehensive comparison of pore-scale models for multiphase flow in porous media[J]. Proceedings of the National Academy of Sciences, 2019, 116(28): 13799-13806.
[9] Landry C J, Karpyn Z T, Ayala O. Relative permeability of homogenous-wet and mixed-wet porous media as determined by pore-scale lattice Boltzmann modeling[J]. Water Resources Research, 2014, 50(5): 3672–

3689.

[10] Shi Y, Tang G H. Relative permeability of two-phase flow in three-dimensional porous media using the lattice Boltzmann method[J]. International Journal of Heat and Fluid Flow, 2018, 73(OCT.): 101-113.

Time Block Preference

Time Block C (18:00-21:00 CET)

Participation

Online

Primary author: XU, Peixing (China University of Geosciences, Wuhan)

Co-authors: KANG, nong; Mrs XIE, Congjiao; ZOU, Shuangmei

Presenter: XU, Peixing (China University of Geosciences, Wuhan)

Session Classification: Poster

Track Classification: (MS11) Microfluidics and nanofluidics in porous systems