



Contribution ID: 450

Type: Oral Presentation

A Review on Polymer Adsorption in Carbonate and Sandstone Reservoirs

Monday, 30 May 2022 17:20 (15 minutes)

Of the innumerable EOR techniques, Polymer flooding is one of the most effective methods which aids oil recovery (Khalilinezhad et al., 2019; Lamas et al., 2021) by increasing the viscosity of water (Chang, 1978; Saboorian-Jooybari et al., 2016; Panthi et al., 2016b; Mohsenatabar Firozjahi and Saghaei, 2020; Lu et al., 2021) hence lowering the water-oil mobility ratio (Jennings RR et al., 1971; Dano et al., 2019), thus improving the volumetric sweep efficiency (Sandiford, 1964; Rashidi et al., 2009; Han et al., 2014; Yoo et al., 2020; Lamas et al., 2021). Polymer flooding has been widely used over the years in the case of sandstone reservoirs with lower temperatures, low salinity, and high permeabilities (Zhang and Seright, 2014; Panthi et al., 2016a; Oluwaseun Taiwo et al., 2019; Yoo et al., 2020; Bera et al., 2020; Zhu et al., 2020). However, its application is limited in the case of carbonates reservoirs due to complex heterogeneity, low permeability values less than 100mD (Saberhosseini et al., 2019; Khalilinezhad et al., 2021; Mahmoodpour et al., 2021), higher reservoir temperature, i.e., above 85°C, high salinity above 100,000ppm (Lu et al., 2014; Das et al., 2020) and hardness over 1,000ppm (Diab and Al-Shalabi, 2019; Abalkhail et al., 2020; Mogensen and Masalmeh, 2020).

The success of a polymer flooding project depends on the efficient transport and propagation of polymer slug through the reservoir. As polymer solution flow through the porous media, interactions happen between the rock surface and the polymer molecules, which causes these polymer molecules to be retained on the rock surface (Huh et al., 1990; Rashidi et al., 2009; Gaillard et al., 2014; Alfazazi et al., 2020), thus resulting the injected fluid to be deprived of polymer molecules and causing the reduction in viscosity (Zamani et al., 2017; Skauge et al., 2018; Zhang et al., 2021) and further reducing the efficiency of the polymer flooding (Riahihnezhad et al., 2017; Al-Hajri et al., 2018; Liang et al., 2019). Polymer retention can be caused due to polymer adsorption onto the rock surface, mechanical entrapment of polymer molecules in the tiny pores of the porous media, and hydrodynamic retention due to varying flow rates (Sorbie, 1991; Al-Hajri et al., 2018; Sugar et al., 2020). A higher amount of polymer adsorption can cause a delayed polymer propagation resulting delay in the oil displacement. The significant economic impact due to the delayed polymer propagation caused by the polymers being permanently lost to the porous rock resulted in increased consumption of chemicals and increased injection period. Some pores of reservoir rocks are relatively small, which restricts the entry of large size polymer molecules. The bulk of these pores through which polymers cannot penetrate is known as inaccessible pore volume. Further, due to this inaccessible pore volume, a polymer solution will sweep through less pore volume in a porous medium; thus, there will be an early breakthrough of polymer solution. There are many factors affecting polymer adsorption including polymer type, polymer concentration, salinity, presence of oil and type of rock surface.

Acceptance of the Terms & Conditions

[Click here to agree](#)

MDPI Energies Student Poster Award

Yes, I would like to submit this presentation into the student poster award.

Country

UAE

References

- Abalkhail, N., Liyanage, P. J., Upamali, K. A. N., Pope, G. A., & Mohanty, K. K. (2020). Alkaline-surfactant-polymer formulation development for a HTHS carbonate reservoir. *Journal of Petroleum Science and Engineering*, 191, 107236.
- Al-Hajri, S., Mahmood, S. M., Abdulelah, H., & Akbari, S. (2018). An overview on polymer retention in Porous media. In *Energies* (Vol. 11, Issue 10, p. 2751). MDPI AG.
- Alfazazi, U., Thomas, N. C., Alameri, W., & Al-Shalabi, E. W. (2020). Experimental investigation of polymer injectivity and retention under harsh carbonate reservoir conditions. *Journal of Petroleum Science and Engineering*, 192, 107262.
- Bera, A., Shah, S., Shah, M., Agarwal, J., & Vij, R. K. (2020). Mechanistic study on silica nanoparticles-assisted guar gum polymer flooding for enhanced oil recovery in sandstone reservoirs. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 598, 124833.
- Chang, H. L. (1978). POLYMER FLOODING TECHNOLOGY - YESTERDAY, TODAY, AND TOMORROW. *JPT, Journal of Petroleum Technology*, 30(8), 1113–1128.
- Dano, J., Abdelrahman, S., & Ali, M. (2019). Simulation Study on Polymer Flooding for Enhanced Oil Recovery: A Case Study. *Materials Today: Proceedings*, 19, 1507–1513.
- Das, A., Nguyen, N., Farajzadeh, R., Southwick, J. G., Vincent-Bonnieu, S., Khaburi, S., Al Kindi, A., & Nguyen, Q. P. (2020). Experimental study of injection strategy for Low-Tension-Gas flooding in low permeability, high salinity carbonate reservoirs. *Journal of Petroleum Science and Engineering*, 184, 106564.
- Diab, W. N., & Al-Shalabi, E. W. (2019, October 28). Recent Developments in Polymer Flooding for Carbonate Reservoirs under Harsh Conditions. Day 3 Thu, October 31, 2019.
- Gaillard, N., Giovannetti, B., Favero, C., Caritey, J. P., Dupuis, G., & Zaitoun, A. (2014). New water soluble anionic NVP acrylamide terpolymers for use in Harsh EOR conditions. *SPE - DOE Improved Oil Recovery Symposium Proceedings*, 2, 1113–1130.
- Han, M., Fuseni, A., Zahrani, B., & Wang, J. (2014). Laboratory study on polymers for chemical flooding in carbonate reservoirs. *Society of Petroleum Engineers - SPE EOR Conference at Oil and Gas West Asia 2014: Driving Integrated and Innovative EOR*, 655–670.
- Huh, C., Lange, E. A., & Cannella, W. J. (1990, April 22). Polymer Retention in Porous Media. *JENNINGS RR, ROGERS JH, & WEST TJ. (1971). FACTORS INFLUENCING MOBILITY CONTROL BY POLYMER SOLUTIONS. JPT, Journal of Petroleum Technology*, 23(03), 391–401.
- Khalilinezhad, S. S., Hashemi, A., Mobaraki, S., Zakavi, M., & Jarrahan, K. (2019). Experimental Analysis and Numerical Modeling of Polymer Flooding in Heavy Oil Recovery Enhancement: A Pore-Level Investigation. *Arabian Journal for Science and Engineering*, 44(12), 10447–10465.
- Khalilinezhad, S. S., Mohammadi, A. H., Hashemi, A., & Ghasemi, M. (2021). Rheological characteristics and flow dynamics of polymer nanohybrids in enhancing oil recovery from low permeable carbonate oil reservoirs. *Journal of Petroleum Science and Engineering*, 197.
- Lamas, L. F., Botechia, V. E., Schiozer, D. J., Rocha, M. L., & Delshad, M. (2021). Application of polymer flooding in the revitalization of a mature heavy oil field. *Journal of Petroleum Science and Engineering*, 204, 108695.
- Liang, Y., Wang, Z. lin, Jin, Y. xin, Tian, Y. qin, Liu, X. ming, Guo, Y. jun, Fan, L., Wang, J., Zhang, X. min, Cao, M., & Zhou, M. yuan. (2019). Heterogeneity control ability in porous media: Associative polymer versus HPAM. *Journal of Petroleum Science and Engineering*, 183, 106425.
- Lu, J., Goudarzi, A., Chen, P., Kim, D. H., Delshad, M., Mohanty, K. K., Sepehrnoori, K., Weerasooriya, U. P., & Pope, G. A. (2014). Enhanced oil recovery from high-temperature, high-salinity naturally fractured carbonate reservoirs by surfactant flood. *Journal of Petroleum Science and Engineering*, 124, 122–131.
- LU, X., CAO, B., XIE, K., CAO, W., LIU, Y., ZHANG, Y., WANG, X., & ZHANG, J. (2021). Enhanced oil recovery mechanisms of polymer flooding in a heterogeneous oil reservoir. *Petroleum Exploration and Development*, 48(1), 169–178.
- Mahmoodpour, S., Kamari, E., Esfahani, M. R., & Mehr, A. K. (2021). Prediction of cementation factor for low-permeability Iranian carbonate reservoirs using particle swarm optimization-artificial neural network model and genetic programming algorithm. *Journal of Petroleum Science and Engineering*, 197, 108102.
- Mogensen, K., & Masalmeh, S. (2020). A review of EOR techniques for carbonate reservoirs in challenging geological settings. *Journal of Petroleum Science and Engineering*, 195, 107889.
- Mohsenatabar Firozjahi, A., & Saghafi, H. R. (2020). Review on chemical enhanced oil recovery using polymer flooding: Fundamentals, experimental and numerical simulation. In *Petroleum* (Vol. 6, Issue 2, pp. 115–122). KeAi Communications Co.

- Oluwaseun Taiwo, Kelani Bello, & Olalekan Olafuyi. (2019). Polymer Injection Performance in Multi Porous Medium. *International Journal of Petroleum and Petrochemical Engineering*, 5(3).
- Panthi, K., Clemens, T., & Mohanty, K. K. (2016). Development of an ASP formulation for a sandstone reservoir with divalent cations. *Journal of Petroleum Science and Engineering*, 145, 382–391.
- Panthi, K., Sharma, H., & Mohanty, K. K. (2016). ASP flood of a viscous oil in a carbonate rock. *Fuel*, 164, 18–27.
- Rashidi, M., Sandvik, S., Blokhus, A. M., & Skauge, A. (2009). Static and dynamic adsorption of salt tolerant polymers. *15th European Symposium on Improved Oil Recovery 2009*, 620–632.
- Riahihnezhad, M., Romero-Zerón, L., McManus, N., & Penlidis, A. (2017). Evaluating the performance of tailor-made water-soluble copolymers for enhanced oil recovery polymer flooding applications. *Fuel*, 203, 269–278.
- Saberhosseini, S. E., Ahangari, K., & Mohammadrezaei, H. (2019). Optimization of the horizontal-well multiple hydraulic fracturing operation in a low-permeability carbonate reservoir using fully coupled XFEM model. *International Journal of Rock Mechanics and Mining Sciences*, 114, 33–45.
- Saboorian-Jooybari, H., Dejam, M., & Chen, Z. (2016). Heavy oil polymer flooding from laboratory core floods to pilot tests and field applications: Half-century studies. *Journal of Petroleum Science and Engineering*, 142, 85–100.
- Sandiford, B. B. (1964). Laboratory and Field Studies of Water Floods Using Polymer Solutions to Increase Oil Recoveries. *Journal of Petroleum Technology*, 16(08), 917–922.
- Skauge, A., Zamani, N., Jacobsen, J. G., Shiran, B. S., Al-Shakry, B., & Skauge, T. (2018). Polymer flow in porous media: Relevance to enhanced oil recovery. *Colloids and Interfaces*, 2(3), 27.
- Sorbie, K. S. (1991). Introduction to polymer flooding. In *Polymer-Improved Oil Recovery* (pp. 1–5). Springer Netherlands.
- Sugar, A., Serag, M. F., Torrealba, V. A., Buttner, U., Habuchi, S., & Hoteit, H. (2020, December 1). Visualization of Polymer Retention Mechanisms in Porous Media Using Microfluidics. *Society of Petroleum Engineers - SPE Europec Featured at 82nd EAGE Conference and Exhibition*.
- Yoo, H., Kim, H., Sung, W., & Lee, J. (2020). An experimental study on retention characteristics under two-phase flow considering oil saturation in polymer flooding. *Journal of Industrial and Engineering Chemistry*, 87, 120–129.
- Zamani, N., Bondino, I., Kaufmann, R., & Skauge, A. (2017). Computation of polymer in-situ rheology using direct numerical simulation. *Journal of Petroleum Science and Engineering*, 159, 92–102.
- Zhang, G., & Seright, R. S. (2014). Effect of concentration on HPAM retention in porous media. *SPE Journal*, 19(3), 373–380.
- Zhang, W., Hou, J., Liu, Y., Du, Q., Cao, W., & Zhou, K. (2021). Study on the effect of polymer viscosity and Darcy velocity on relative permeability curves in polymer flooding. *Journal of Petroleum Science and Engineering*, 200, 108393.
- Zhu, S., Ye, Z., Zhang, J., Xue, X., Chen, Z., & Xiang, Z. (2020). Research on optimal timing range for early polymer injection in sandstone reservoir. *Energy Reports*, 6, 3357–3364.

Time Block Preference

Time Block A (09:00-12:00 CET)

Participation

Online

Primary author: SEBASTIAN, Anoo

Presenter: SEBASTIAN, Anoo

Session Classification: MS16

Track Classification: (MS16) Fluid Interactions with Thin Porous Media