



Contribution ID: 409

Type: Poster Presentation

Pore-scale investigation into dynamics of salt crystal nucleation, precipitation and growth in porous media during CO₂ sequestration in saline aquifers

Thursday, 25 May 2023 15:30 (1h 30m)

In a full-scale CCS, millions of tons of CO₂ must be stored underground. Injection of dry or undersaturated (with respect to water) CO₂ leads to dry-out of the brine formation water and salt precipitation, particularly in the near wellbore region, causing reduced injectivity and deteriorated reservoir rock properties. We report a series of microfluidic experiments on glass- and geomaterial (real rock) microchips representing matrix and fractured systems to provide insights into some open questions regarding the pore-scale physics and dynamics of CO₂-induced salt nucleation, precipitation, and growth in porous media. The study is complemented with LBM reactive transport simulation of nucleation and growth to further elucidate the evolution dynamics from precipitation of single crystal to eventual clogging of flow pathways. The results introduce two interrelated phenomena –self-enhancing of salt growth and water film salt transport, which together remarkably intensify the rate and amount of precipitations. It is shown that salt crystals, although at different rates, grow in both aqueous and gas phases. The pore-scale observations indicate that the trapped water films in porous or fractured media have enough continuity and conductivity to transport residual brine to an evaporating front and cause an increase in the rate and amount of precipitated halite crystals. The results also indicate that CO₂ phase states and pressure-temperature conditions control the magnitude, distribution, and precipitation patterns of salt precipitates. Injection of gaseous CO₂ resulted in higher salt precipitation compared to liquid and supercritical CO₂. The thermodynamic conditions influence salt precipitation via water solubility in CO₂, maximum water flux into the CO₂ stream, and balance between the imposed viscous forces and capillary-driven backflow. The mutual impacts of the continual growth of salt crystals toward the injection point, the affinity of salt bodies to become connected, access to brine pools via conductivity of water films, porous structure of many salt bodies, imposed capillary suction towards the evaporation front, concentration gradients, in addition to the extent of CO₂-induced salt accumulations suggest that the salt precipitation during injection of CO₂ into the geologic formations can be a critical phenomenon with a complex interplay on coupled THMC processes. The research outcome highlights processes and dynamics crucial to consider when investigating salt precipitation induced by CO₂ injection, as this phenomenon has implications for injectivity and containment. For better reservoir-scale numerical modeling, such mechanisms must be incorporated and scaled up in the reservoir simulator, along with a representative physically-sound scale-aware clogging model. We provide insights into the applicability of present clogging models and porosity-permeability relationships for predicting dynamics changes induced by solid accumulation in pore space. Present-day reservoir-scale simulators of salt precipitation consider mechanisms such as water evaporation into CO₂ and capillary backflow of water into the dried zone, suggesting only a limited impact on the porosity and permeability. Additionally, the current approach for modeling salt precipitation using the volumetric method in the reservoir-scale numerical simulator may not reflect the required physics for investigating salt precipitation induced by CO₂ injection.

Participation

In-Person

References

- Nooraiepour, M., Fazeli, H., Miri, R., Hellevang, H., 2018. Effect of CO₂ Phase States and Flow Rate on Salt Precipitation in Shale Caprocks - A Microfluidic Study. *Environ. Sci. Technol.* 52, 6050–6060. <https://doi.org/10.1021/acs.est.8b00251>
- Nooraiepour, M., Fazeli, H., Miri, R., Hellevang, H., 2019. Salt Precipitation during Injection of CO₂ into Saline Aquifers: Lab-on-Chip Experiments on Glass and Geomaterial Microfluidic Specimens. SSRN. <https://doi.org/10.2139/ssrn.3365553>
- Masoudi, M., Fazeli, H., Miri, R., Hellevang, H., 2021. Pore scale modeling and evaluation of clogging behavior of salt crystal aggregates in CO₂-rich phase during carbon storage. *Int. J. Greenh. Gas Control* 111, 103475. <https://doi.org/https://doi.org/10.1016/j.ijggc.2021.103475>
- Nooraiepour, M., Masoudi, M., Hellevang, H., 2021. Probabilistic nucleation governs time, amount, and location of mineral precipitation and geometry evolution in the porous medium. *Sci. Rep.* 11. <https://doi.org/10.1038/s41598-021-95237-7>

MDPI Energies Student Poster Award

No, do not submit my presentation for the student posters award.

Country

Norway

Acceptance of the Terms & Conditions

[Click here to agree](#)

Energy Transition Focused Abstracts

This abstract is related to Energy Transition

Primary authors: Dr NOORAIEPOUR, Mohammad (CO₂ Storage Centre, University of Oslo, Norway); Dr MASOUDI, Mohammad (Department of Geosciences, University of Oslo, Norway); Prof. HELLEVANG, Helge (University of Oslo, Norway)

Presenter: Dr NOORAIEPOUR, Mohammad (CO₂ Storage Centre, University of Oslo, Norway)

Session Classification: Poster

Track Classification: (MS01) Porous Media for a Green World: Energy & Climate