InterPore2023



Contribution ID: 428

Type: Oral Presentation

Pore scale study of freeze-drying using a non-isothermal pore network model and X-ray tomography image data

Monday, 22 May 2023 17:15 (15 minutes)

Freeze-drying is investigated based on a non-isothermal pore network model of coupled heat and mass transfer [1]. Simulations were carried out using image data from X-ray tomography (µ-CT) of freeze-dried maltodextrin, which was originally prepared with a solid content of c = 0.2 w/w solved in water [2]. Freeze-drying was conducted at a shelf temperature of -18°C and a chamber pressure of 10 Pa [3]. The experimental parameters were used in the pore network simulation in which a domain size of 100x100x250 µm3 was considered. The pore network simulation provides data about the dynamics of the pore scale resolved sublimation front propagation as well as local temperature and pressure evolution and vapor diffusion rates. It can be shown and analyzed for the first time how the sublimation front travels through the pore network in dependence of pore size distribution and various different process conditions. For this purpose, different temperature and pressure conditions were applied at the boundaries of the pore network. Besides μ -CT image data, also regular pore networks with different pore size distributions (monomal and bimodal) were implemented. The latter option is faster than imaging and image processing and allows to study more fundamentally different scenarios. This way, the evolution of the sublimation front can be studied at the limits of i) heat and ii) mass transfer controlled freeze-drying regimes as well as intermediate situations. As a result, the conditions for the formation of either flat or structured sublimation fronts can be provided. The outcome of this study can thus be used as a base for the prediction of material collapse.

Participation

In-Person

References

[1] Surasani, V.; Metzger, T.; Tsotsas, E. (2010) Drying simulations of various 3D pore structures by a nonisothermal pore network model, Drying Technology 28 (5), 615-623

[2] Thomik, M.; Gruber, S.; Foerst, P.; Tsotsas, E.; Vorhauer-Huget, N. (2021) Determination of 3D pore network structure of freeze-dried maltodextrin, Drying Technology 40 (4), 748-766

[3] Foerst, P.; Melo de Carvalho, T.; Lechner, M.; Kovacevic, T.; Kim, S.; Kirse, C.; Briesen, H. (2019) Estimation of mass transfer rate and primary drying times during freeze-drying of frozen maltodextrin solutions based on x-ray -computed tomography measurements of pore size distributions, Journal of Food Engineering 260, 50–57.

MDPI Energies Student Poster Award

Yes, I would like to submit this presentation into the student poster award.

Country

Germany

Acceptance of the Terms & Conditions

Click here to agree

Energy Transition Focused Abstracts

Primary authors: Dr VORHAUER-HUGET, Nicole (Otto-von-Guericke University, Magdeburg/Germany); THOMIK, Maximilian; GRUBER, Sebastian; Prof. FOERST, Petra (Technical University of Munich); TSOTSAS, Evange-los

Presenter: RODRIGUES, Simson Julian

Session Classification: MS09

Track Classification: (MS09) Pore-scale modelling