InterPore2024



Contribution ID: 18

Type: Poster Presentation

# Experimental evaluation of dynamic seepage in tight/shale reservoirs under the coupling of matrix fractures based on NMR

Tuesday, 14 May 2024 09:25 (1h 30m)

Meng Du1,2,3, Shuyi Lu4, Zhengming Yang\*1,2,3, Weifeng Lyu1,2,3, Xinliang Chen2,3, Xiang Qi 3, Pengwei Fang 1,3, Zhuoying Dou 1,3

(1. University of Chinese Academy of Sciences, Beijing 100049, China;2. Institute of Porous Flow & Fluid Mechanics, Chinese Academy of Sciences, Langfang 065007, China; 3. Research Institute of Petroleum Exploration & Development, PetroChina, Beijing 100083, China; 4. Beijing Normal University, Beijing 100875; 5. State Key Laboratory of Enhanced Oil Recovery, Beijing 100083, China)

The imbibition and displacement between fractures and matrix have a significant effect on the development of tight/shale reservoirs, a combination of dynamic displacement and imbibition online physical simulation method was established by integrating nuclear magnetic resonance (NMR) and CT scanning. Through realtime dynamic monitoring of multiphase flow and migration behavior of crude oil in each stage of dynamic imbibition, the development effect of dynamic imbibition and the micro-production mechanism of pore throats with different sizes of tight/shale oil were quantitatively studied. The effects of displacement pressure, permeability, and fractures on the dynamic imbibition effect and pore crude oil production were analyzed. On this basis, the dynamic seepage process of fracking-soaking-backflow-production integration was simulated, which reveals the dynamic production characteristics of different development stages and their contribution to enhancing oil recovery (EOR). The results show that the dynamic imbibition process of tight/shale oil water flooding can be divided into three stages: strong displacement and weak imbibition stage of rapid production of large pores and fractures under displacement action; weak displacement and strong imbibition stage of slow production of small pores and fractures under counter-current imbibition action and dynamic equilibrium stage of weak displacement and weak imbibition. The greater the displacement pressure, the lower the degree of imbibition recovery and the stronger the contribution of displacement, but it is easy to produce water channeling, leading to an early breakthrough, as a result, the recovery increases and then decreases. The higher the permeability and the better the pore throat connectivity, the greater the degree of both imbibition and displacement recovery, and the shorter the percolation equilibrium time and the greater the recovery. Fractures can effectively increase the imbibition contact area between the matrix and water, reduce the resistance of oil and water seepage, and increase the rate of matrix oil release and total recovery. There are differences in dynamic production characteristics and the degree of contribution to recovery at different development stages. Conducting a soaking program after fracturing is beneficial for fully utilizing the effects of fluid imbibition, displacement, and energy storage; also, the key to EOR is to effectively utilize the carrying effect of the backflow fluid and the displacement during the production stage. This study provides theoretical support for the efficient development of tight/shale oil.

## Acceptance of the Terms & Conditions

Click here to agree

## Student Awards

#### Country

China

# Porous Media & Biology Focused Abstracts

## References

[1] Gao, J.; Wang, H.; Ding, X.; Yuchi, Q.; Ren, Q.; Ning, B.; Nan, J. The Impact of Microscopic Pore Network Characteristics on Movable Fluid Properties in Tight Oil Reservoir, Geofluids. 2023, 7464640; https://doi.org/10.1155/2023/7464640. [2] Jin, Z.; Zhu, R.; Liang, X.; Shen, Y. Several issues worthy of attention in current lacustrine shale oil exploration and development. Petroleum Exploration and Development. 2021, 48(6): 1276-1287. https://doi.org/10.1016/S1876-3804(21)60303-8. [3] Li, Y.; Zhao, Q.; Lyu, Q.; Xue, Z.; Cao, X.; Liu, Z. Evaluation technology and practice of continental shale oil development in China. Petroleum Exploration and Development. 2022, 49(5): 955-964. https://doi.org/10.1016/S1876-3804(22)60335-5. [4] Kim, S.; Han, S.; Song, Y.; Kim, J.; Gun, H. Well-Testing Model for Dual-Porosity Reservoir considering Stress-Sensitivity and Elastic Outer Boundary Condition. Geofluids. 2023, 4658604; https://doi.org/10.1155/2023/4658604. [5] Afagwu, C.; Alafnan, S.; Mahmoud, M.; Akkutlu, Y.; Mahmoud, M. Modeling of natural gas self-diffusion in the micro-pores of organicrich shales coupling sorption and geomechanical effects. Journal of Natural Gas Science & Engineering. 2022, 106, 104757. https://doi.org/10.1016/j.jngse.2022.104757. [6] Aguilera, R. Flow units: from conventional to tight-gas to shale-gas to tight-oil to shale-oil reservoirs. SPE Reservoir Eval. Eng. 2014, 17, 190-208. https://doi.org/10.2118/165360-ms. [7] Lv, W.; Chen, S.; Gao, Y.; Kong, C.; Jia, N.; He, L.; Wang, R.; Li, J. Evaluating seepage radius of tight oil reservoir using digital core modeling approach. Journal of Petroleum Science and Engineering. 2019, 178: 609-615. https://doi.org/10.1016/j.petrol.2019.03.072. [8] Xue, C.; Ji, D.; Cheng, D.; Wen, Y.; Luo, H.; Li, Y.; et al. Adsorption behaviors of different components of shale oil in quartz slits studied by molecular simulation. ACS Omega. 2022, 7, 41189-41200. https://doi.org/10.1021/acsomega.2c04845. [9] Loucks, R.G.; Reed, R.M.; Ruppel, S.C.; Jarvie, D.M. Morphology, genesis, and distribution of nanometerscale pores in siliceousmudstones of the Mississippian Barnett shale. J. Sediment. Res. 2009, 79, 848-861. https://doi.org/10.2110/jsr.2009.092. [10] Wennberg, O.; Ramalho, F.; Mafia, M.; Lapponi, F.; Chandler, A.; Cartesio, L.; Hunt, D. The characteristics of natural open fractures in acoustic borehole image logs from the presalt Barra Velha formation, Santos Basin, Brazil. J. Struct. Geol. 2023, 165, 104794. https://doi.org/10.1016/j.jsg.2023.104794. [11] Javadpour, F.; Mclure, M.; Naraghi, M.E. Slip-corrected liquid permeability and its effect on hydraulic fracturing and fluid loss in shale. 2015, Fuel 160, 549-559. https://doi.org/10.1016/j.fuel.2015.08.017. [12] Li, Y.; Di, Q.; Hua, S.; Jia, X.; Chen, H. Visualization of foam migration characteristics and displacement mechanism in heterogeneous cores. Colloids and Surfaces A. 2020, 607(1): 1-8. https://doi.org/10.1016/j.colsurfa.2020.125336. [13] Yang, Z.; Li, R.; Li, H.; Luo, Y.; Chen, T.; Gao, T.; Zhang, Y. Experimental evaluation of the salt dissolution in inter-salt shale oil reservoirs. Petroleum Exploration and Development. 2020, 47(4):739-745. https://doi.org 10.11698/PED.2019.04.12. [14] Barabasch, J.; Schmatz, J.; Klaver, J.; Schwedt, A.; Klaver, J.; Urai, J. Large grain-size-dependent rheology contrasts of halite at low differential stress: Evidence from microstructural study of naturally deformed gneissic Zechstein 2 rock salt (Kristallbrockensalz) from the northern Netherlands. Solid Earth 2023, 14, 271-291. https://doi.org/10.5194/se-14-271-2023. [15] Zhao, H.W.; Ning, Z.F.; Wang, Q.; Zhang, R.; Zhao, T.Y.; Niu, T.F.; Zeng, Y. Petrophysical characterization of tight oil reservoirs using pressure-controlled porosimetry combined with rate-controlled porosimetry. Fuel 2015, 154, 233-242. https://doi.org/10.1016/j.fuel.2015.03.085. [16] Nelson, P.H. Pore-throat sizes in sandstones, tight sandstones, and shales. AAPG Bull. 2009, 93, 329-340. https://doi.org/10.1306/10240808059. [17] Nooruddin, H.A.; Hossain, M.E.; Al-Yousef, H.; Okasha, T. Comparison of permeability models using mercury injection capillary pressure data on carbonate rock samples. J. Petrol. Sci. Eng. 2014, 121, 9-22. https://doi.org/10.1016/j.petrol.2014.06.032. [18] Zhang, Y.; Lyu, W.; Zhang, K.; He, D.; Li, B.; Cheng, Y.; Gao, J. Study of Supercritical State Characteristics of Miscible CO2 Used in the Flooding Process. Energies. 2023, 16(18), 6693; https://doi.org/10.3390/en16186693. [19] Bera, B.; Mitra, S.K.; Vick, D. Understanding the micro structure of Berea Sandstone by the simultaneous use of micro-computed tomography (micro-CT) and focused ion beam-scanning electron microscopy (FIB-SEM). Micron 2010, 42, 412-418. https://doi.org/10.1016/j.micron.2010.12.002. [20] Golab, A.; Ward, C.R.; Permana, A.; Lennox, P.; Botha, P. High-resolution three-dimensional imaging of coal using microfocus X-ray computed tomography, with special reference to modes of mineral occurrence. Int. J. Coal Geol. 2013, 11, 97-108. https://doi.org/10.1016/j.coal.2012.04.011. [21] Wang, R., Chi, Y., Zhang,

L., He, R., Tang, Z., Liu, Z., 2018. Comparative studies of microscopic pore throat characteristics of unconventional super-low permeability sandstone reservoirs: examples of Chang 6 and Chang 8 reservoirs of Yanchang Formation in Ordos Basin, China. J. Petrol. Sci. Eng. 160, 72-90. [22] Zhao, R., Xue, H., Lu, S., Li, J., Tian, S., Wang, M., Dong, Z., 2022. Multi-scale pore structure characterization of lacustrine shale and its coupling relationship with material composition, An integrated study of multiple experiments. Marine and Petroleum Geology. 140, 105648. https://doi.org/10.1016/j.marpetgeo.2022.105648. [23] Wang, J.; Ji, Z.; Liu, H.; Huang, Y.; Wang, Y.; Pu, Y. Experiments on nitrogen assisted gravity drainage in fractured-vuggy reservoirs. Petroleum Exploration and Development. 2019, 46(2): 342-353. https://doi.org/10.1016/S1876-3804(19)60015-7. [24] Liao, G.; Yang, H.; Jiang, Y.; Ren, S.; Li, D.; Wang, L.; Wang, Z.; Wang, B.; Liu, W. Applicable scope of oxygen-reduced air flooding and the limit of oxygen content. Petroleum Exploration and Development. 2018, 45(1): 105-110. https://doi.org/10.1016/S1876-3804(18)30010-7. [25] Forstner, S.; Laubach, S. Scale-dependent fracture networks. J. Struct. Geol. 2022, 165, 104748. https://doi.org/10.1016/j.jsg.2022.104748. [26] Zhang, K.; Wang, Z.; Jiang, Y.; Wang, A.; Fan, C.; Xiang, B.; Zhou, N. Quantitative evaluation of the transporting capacity of unconformities: A Case Study from the Zhongguai Area, Junggar Basin, NW China. Mar. Pet. Geol. 2020, 114, 104199. https://doi.org/10.1016/j.marpetgeo.2019.104199. [27] Kok, M, V.; Gul, K, G. Thermal characteristics and kinetics of crude oils and SARA fractions. Thermochimica Acta. 2013, 569: 66-70. https://doi.org/10.1016/j.tca.2013.07.014. [28] Ren, S, R.; Greaves M.; Rathbone R. Air injection LTO process: An IOR technique for light-oil reservoirs. SPE Journal. 2002, 7(1): 90-99. https://doi.org/doi:10.2118/57005-pa. [29] Liao, G.; Wang, H.; Wang, Z.; Tang, J.; Wang, B.; Pan, J.; Yang, H.; Liu, W.; Song, Q.; Pu, W. Oil oxidation in the whole temperature regions during oil reservoir air injection and development methods. Petroleum Exploration and Development. 2020, 47(2): 334-340. https://doi.org/10.1016/s1876-3804(20)60052-0. [30] Chen, X.; Li, Y.; Liao, G.; Zhang, C.; Xu, S.; Qi, H.; Tang, X. Experimental investigation on stable displacement mechanism and oil recovery enhancement of oxygen-reduced air assisted gravity drainage. Petroleum Exploration and Development. 2020, 47(4): 780-788. https://doi.org/10.1016/s1876-3804(20)60099-4.

#### Primary author: Dr DU, Meng

**Co-authors:** Dr LU, Shuyi; YANG, Zhengming; LYU, Weifeng; CHEN, Xinliang; QI, Xiang; FANG, Peng-wei; DOU, Zhuoying

Presenter: Dr DU, Meng

Session Classification: Poster

Track Classification: (MS03) Flow, transport and mechanics in fractured porous media