InterPore2024



Contribution ID: 932

Type: Poster Presentation

Comparisons between a dual-pore-network model and a hybrid pore-network-continuum model for predicting permeability and formation factor of multiscale carbonate digital rocks

Tuesday, 14 May 2024 09:25 (1h 30m)

Many underground rocks have been found to possess complex multiscale porous structures with bimodal/multimodal pore size distributions, such as carbonate rocks, tight sandstones, and shales (Bultreys et al., 2016; Shan Wang et al., 2022; Nijat Hakimov et al., 2022). Flow and transport in these rocks play an important role in many subsurface applications. In addition to in-situ core experiments, several pore-scale numerical models have been developed to simulate flow and transport in multiscale porous structures, including dual-pore-network, micro-continuum and pore-network-continuum models (Francisco J. Carrillo et al., 2020; Zhang et al., 2021; Tom Bultreys et al., 2015). Compared to micro-continuum and pore-network-continuum models, a dual-pore-network model is computationally efficient and can be used to the full core analysis. However, the effect of smearing heterogeneity of microporous domains (i.e., sub-resolution domains) on numerical predictions needs to be studied.

In this work, absolute permeability and formation factor of Estaillades carbonate rocks are modelled by both a dual-pore-network model and a hybrid pore-network-continuum model. We show the key difference between the dual-pore-network model and pore-network-continuum model for treating microporous domains. By comparing numerical predictions of the two models, the influence of microporous heterogeneity on seepage characteristics of carbonate rocks is extensively explored. Moreover, the dual-pore-network model is used to study the influence of image resolution on the prediction of permeability and formation factor. As reducing the resolution of the original image, it is observed that more and more resolved pores are identified as microporosity, while the modelled permeability decreases.

Acceptance of the Terms & Conditions

Click here to agree

Student Awards

Country

中国

Porous Media & Biology Focused Abstracts

References

 Bultreys, T. et al. Investigating the relative permeability behavior of microporosity-rich carbonates and tight sandstones with multiscale pore network models. J. Geophys. Res. Solid Earth 121, 7929–7945 (2016).
Wang, S., Ruspini, L. C., Øren, P., Van Offenwert, S. & Bultreys, T. Anchoring Multi-Scale Models to Micron-Scale Imaging of Multiphase Flow in Rocks. Water Resources Research 58, (2022).
Hakimov, N., Syed, F. I., Muther, T., Dahaghi, A. K. & Negahban, S. Pore-scale network modeling approach to study the impact of Microporosity's pore space topology. Microporous and Mesoporous Materials 338, 111918 (2022).
Bultreys, T., Van Hoorebeke, L. & Cnudde, V. Multi-scale, micro-computed tomography-based pore network models to simulate drainage in heterogeneous rocks. Advances in Water Resources 78, 36–49 (2015).
Carrillo, F. J., Bourg, I. C. & Soulaine, C. Multiphase flow modeling in multiscale porous media: An open-source micro-continuum approach. Journal of Computational Physics: X 8, 100073 (2020).
Modeling of flow and transport in multiscale digital rocks aided by grid coarsening of microporous domains. Under review in journal of hydrology.

Conference Proceedings

I am not interested in having my paper published in the proceedings

Primary authors: Mr SHI, Bowen (chongqing university); Mr QIN, Chao-Zhong (chongqing university); Mr ZHAO, Xingyuan (chongqing university)

Presenter: Mr ZHAO, Xingyuan (chongqing university)

Session Classification: Poster

Track Classification: (MS09) Pore-scale modelling